

No.: ETR21903171 Date: 23-Sep-2021

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : HAESUNGDS CO., LTD.

Sample Name : LEAD FRAME
Style/Item No. : C194-AG
Sample Material : METAL ALLOY
SGS File No. : AYGA21-04070

Sample Receiving Date : 13-Sep-2021

Testing Period : 13-Sep-2021 to 23-Sep-2021

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results : Please refer to following pages.

Conclusion : (1) Based on the performed tests on selected part of submitted sample(s), the test

results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to

Directive 2011/65/EU.





Page: 1 of 15

PIN CODE: 63924F7



No.: ETR21903171 Date: 23-Sep-2021 Page: 2 of 15

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Test Part Description

No.1 : SILVER/COPPER COLORED METAL SHEET (EXCLUDING THE FRAME)

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
	analysis was performed by ICP-OES.				
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013,	mg/kg	2	15.6	1000
	analysis was performed by ICP-OES.				
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed by				
	ICP-OES.				
Hexavalent Chromium Cr(VI) (CAS No.:	With reference to IEC 62321-7-1: 2015,	μg/cm²	0.1	n.d.	-
18540-29-9) (#2)	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	1
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	1
Nonabromobiphenyl		mg/kg	5	n.d.	1
Decabromobiphenyl		mg/kg	5	n.d.	1
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	1
Dibromodiphenyl ether		mg/kg	5	n.d.	ı
Tribromodiphenyl ether		mg/kg	5	n.d.	1
Tetrabromodiphenyl ether		mg/kg	5	n.d.	1
Pentabromodiphenyl ether		mg/kg	5	n.d.	1
Hexabromodiphenyl ether		mg/kg	5	n.d.	1
Heptabromodiphenyl ether		mg/kg	5	n.d.	1
Octabromodiphenyl ether		mg/kg	5	n.d.	1
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	_	n.d.	1000



No.: ETR21903171 Date: 23-Sep-2021 Page: 3 of 15

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)		mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	analysis was performed by GC/1vis.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-	With reference to ISO 18219: 2015,	mg/kg	50	n.d.	-
C13) (SCCP) (CAS No.: 85535-84-8)	analysis was performed by GC/MS.				
Medium Chain Chlorinated	With reference to ISO 18219: 2015,	mg/kg	50	n.d.	-
Paraffins(C14-C17) (MCCP) (CAS No.:	analysis was performed by GC/MS.				
85535-85-9)					
Triphenyl tin (TPhT)		mg/kg	0.03	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)		mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.:	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.	-
56-35-9)	Tin (TBT).				
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
PFOS and its salts (CAS No.: 1763-23-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
and its salts)	analysis was performed by LC/MS/MS.				
PFOA and its salts (CAS No.: 335-67-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
and its salts)	analysis was performed by LC/MS/MS.				
Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.	-
and all major diastereoisomers	analysis was performed by GC/MS.				
identified (α- HBCDD, β- HBCDD, γ-					
HBCDD) (CAS No.: 25637-99-4, 3194-					
55-6 (134237-51-7, 134237-50-6,					
134237-52-8))					
		ı			



No.: ETR21903171 Date: 23-Sep-2021 Page: 4 of 15

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Dibutyl phthalate (DBP) (CAS No.: 84-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
74-2)	analysis was performed by GC/MS.				
Butyl benzyl phthalate (BBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
85-68-7)	analysis was performed by GC/MS.				
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
(CAS No.: 117-81-7)	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
84-69-5)	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
117-84-0)	analysis was performed by GC/MS.				
Di-n-pentyl phthalate (DNPP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
131-18-0)	analysis was performed by GC/MS.				
Di-n-hexyl phthalate (DNHP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
84-75-3)	analysis was performed by GC/MS.				
Bis(2-methoxyethyl) phthalate (DMEP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(CAS No.: 117-82-8)	analysis was performed by GC/MS.				
N-pentyl iso-pentyl phthalate (NPIPP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(CAS No.: 776297-69-9)	analysis was performed by GC/MS.				
Diisopentyl phthalate (DIPP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
605-50-5)	analysis was performed by GC/MS.				
1,2-Benzenedicarboxylic acid, di-C7-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
11-branched and linear alkyl esters	analysis was performed by GC/MS.				
(DHNUP) (CAS No.: 68515-42-4)					
1,2-Benzenedicarboxylic acid, di-C6-8-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
branched alkyl esters, C7-rich (DIHP)	analysis was performed by GC/MS.				
(CAS No.: 71888-89-6)					
1,2-Benzenedicarboxylic acid,	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
dipentylester, branched and linear (CAS	analysis was performed by GC/MS.				
No.: 84777-06-0)					



No.: ETR21903171 Date: 23-Sep-2021 Page: 5 of 15

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Note:

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. PFOS and its salts including:

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

6. PFOA and its salts including:

CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.

- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI).
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024

9. The statement of compliance conformity is based on comparison of testing results and limits.



No.: ETR21903171 Date: 23-Sep-2021 Page: 6 of 15


HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)






No.: ETR21903171 Date: 23-Sep-2021 Page: 7 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PBBs / PBDEs






No.: ETR21903171 Date: 23-Sep-2021 Page: 8 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






No.: ETR21903171 Date: 23-Sep-2021 Page: 9 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Organic-Tin






No.: ETR21903171 Date: 23-Sep-2021 Page: 10 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Halogen





No.: ETR21903171 Date: 23-Sep-2021 Page: 11 of 15


HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart of Elements (Heavy Metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



* US EPA 3051A method does not add HF.




No.: ETR21903171 Date: 23-Sep-2021 Page: 12 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Phthalate

【Test method: IEC 62321-8】






No.: ETR21903171 Date: 23-Sep-2021 Page: 13 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






No.: ETR21903171 Date: 23-Sep-2021 Page: 14 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - HBCDD






No.: ETR21903171 Date: 23-Sep-2021 Page: 15 of 15

HAESUNGDS CO., LTD. (SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR21903171



** End of Report **